



Compensation Rings

Compensation rings are available from Tri-Clor in PTFE, HDPE, Polypropylene, Carbon Steel, Stainless Steel, Aluminum, and other metallic and non metallic materials as specified. Computer aided design and manufacturing is used to cut ring diameters and holes. Standard Compensation Rings are drilled with ANSI standard B16.5 150# locations. Special drilling and thicknesses are available upon requests.

Standard Dimensions of Compensation Rings

Nominal Pipe Size	*Minimum Quantity	**Part Number	***Nominal Thickness	Inside Diameter	Outside Diameter	Bolt Circle Diameter	Number of Holes	Diameter Holes
1/2"	280	0.5-FF-HDPE-150-0625	1/16"	1.38"	3.5"	2.38"	4	5/8"
3/4"	280	0.75-FF-HDPE-150-0625	1/16"	1.69"	3.88"	2.75"	4	5/8"
1"	180	1-FF-HDPE-150-0625	1/16"	2.00"	4.25"	4.25"	4	5/8"
1 1/4"	125	1.25-FF-HDPE-150-0625	1/16"	2.50"	4.62"	3.50"	4	5/8"
1 1/2"	125	1.5-FF-HDPE-150-0625	1/16"	2.88"	5.00"	3.88"	4	5/8"
2"	90	2-FF-HDPE-150-0625	1/16"	3.62"	6.00"	4.75"	4	3/4"
2 1/2"	70	2.5-FF-HDPE-150-0625	1/16"	4.12"	7.00"	5.50"	4	3/4"
3"	70	3-FF-HDPE-150-0625	1/16"	5.00"	7.50"	6.00"	4	3/4"
4"	55	4-FF-HDPE-150-0625	1/16"	6.19"	9.00"	7.50"	8	3/4"
5"	35	5-FF-HDPE-150-0625	1/16"	7.31"	10.00"	8.50"	8	7/8"
6"	30	6-FF-HDPE-150-0625	1/16"	8.50"	11.00"	9.50"	8	7/8"
8"	10	8-FF-HDPE-150-0625	1/16"	10.62"	13.50"	11.75"	8	7/8"
10"	10	10-FF-HDPE-150-0625	1/16"	12.75"	16.00"	14.25"	12	1.00"
12"	8	12-FF-HDPE-150-0625	1/16"	15.00"	19.00"	17.00"	12	1.00"
14"	8	14-FF-HDPE-150-0625	1/16"	16.25"	21.00"	18.75"	12	1.12"
16"	8	16-FF-HDPE-150-0625	1/16"	18.50"	23.50"	21.25"	16	1.12"
18"	3	18-FF-HDPE-150-0625	1/16"	21.00"	25.00"	22.75"	16	1.25"
20"	3	20-FF-HDPE-150-0625	1/16"	23.00"	27.50"	25.00"	20	1.25"
24"	3	24-FF-HDPE-150-0625	1/16"	27.25"	32.00"	29.50"	20	1.38"
30"	2	30-FF-HDPE-150-0625	1/16"	33.75"	38.75"	36.00"	28	1.38"
36"	2	36-FF-HDPE-150-0625	1/16"	40.25"	46.00"	42.75"	32	1.62"

* Minimum order quantities are subject to change if other sizes of the same thickness are ordered at the same time.
 ** Standard material is high density polyethylene. Other materials are available upon request.
 *** Standard thickness is 1/16". Other thicknesses are available upon request.
 Chart is for Reference only.



1012 Enterprise Drive
 Hastings, Michigan, USA, 49058
 Contact Sales @ PH# 269.948.9310
www.tri-clor.com

Request for Quote Form

<i>Nominal Pipe Size</i>	<i>*Quantity Required</i>	<i>*Material of Construction</i>	<i>*Nominal Thickness</i>	<i>*Inside Diameter</i>	<i>*Outside Diameter</i>	<i>*Bolt Circle Diameter</i>	<i>*Number of Holes</i>	<i>*Diameter Holes</i>
1/2"								
3/4"								
1"								
1 1/4"								
1 1/2"								
2"								
2 1/2"								
3"								
4"								
5"								
6"								
8"								
10"								
12"								
14"								
16"								
18"								
20"								
24"								
30"								
36"								

* Required Fields for requesting quotes.
 Please attach any special sizes or drilling requirements
 Return via email to jimt@tri-clor.com or
 Return via email to chad@tri-clor.com or
 Return via email to tim@tri-clor.com



1012 Enterprise Drive
 Hastings, Michigan, USA, 49058
 Contact Sales @ PH# 269.948.9310
www.tri-clor.com